

- [A169] Neuhäuser M, **Jöckel KH**. Methacholine challenge tests: sample sizes required in crossover trials. *International Journal of Clinical Pharmacology and Therapeutics* 2006; 44(1): 27-30
- [A170] Frey UH, Lümmen G, Jäger T, **Jöckel KH**, Schmid KW, Rübber H, Müller N, Siffert W, Eisenhardt A. The GNAS1 T393C polymorphism predicts survival in patients with clear cell renal cell carcinoma. *Clin Cancer Res.* 2006; 12(3 Pt 1): 759-63
- [A171] Broemel F, Kruse E, Neuhäuser M, Dürig J, **Jöckel KH**. A correction for dependencies of expression values in Affymetrix. *Online Journal of Bioinformatics* 2006; 7(1): 1-14
- [A172] Stang A, Pohlabein H, Müller KM, Jahn I, Giersiepen K, **Jöckel KH**. Diagnostic agreement in the histopathological evaluation of lung cancer tissue in a population-based case-control study. *Lung Cancer.* 2006; 52(1):29-36
- [A173] Moebus S, Lehmann N, Bödeker W, **Jöckel KH**. An analysis of sickness absence in chronically ill patients receiving complementary and alternative medicine: a longterm prospective intermittent study. *BMC Public Health.* 2006; 6: 28
- [A174] Stang A, Schmidt-Pokrzywniak A, Lehnert M, Parkin DM, Ferlay J, Bornfeld N, Marr A, **Jöckel KH**. Population-based incidence estimates of uveal melanoma in Germany. Supplementing cancer registry data by case-control data. *Eur J Cancer Prev.* 2006; 15(2): 165-70
- [A175] Puente D, Hartge P, Greiser E, Cantor KP, King WD, González CA, Cordier S, Vineis P, Lynge E, Chang-Claude J, Porru S, Tzonou A, Jöckel KH, Serra C, Hours M, Lynch CF, Ranft U, Wahrendorf J, Silverman D, Fernandez F, Boffetta P, Kogevinas M. A pooled analysis of bladder cancer case-control studies evaluating smoking in men and women. *Cancer Causes Control.* 2006; 17(1): 71-79
- [A176] Merletti F, Richiardi L, Bertoni F, Ahrens W, Buemi A, Costa-Santos C, Eriksson M, Guénel P, Kaerlev L, **Jöckel KH**, Llopis-Gonzalez A, Merler E, Miranda A, Morales-Suárez-Varela MM, Olsson H, Fletcher T, Olsen J. Occupational factors and risk of adult bone sarcomas: a multicentric case-control study in Europe. *Int J Cancer.* 2006; 118(3): 721-7
- [A177] Stang A, Streller B, Katalinic A, Lehnert M, Eisinger B, Kaatsch P, **Jöckel KH**. Incidence of skin lymphoma in Germany. *Ann Epidemiol.* 2006; 16(3): 214-22
- [A178] Stang A, Moebus S, Möhlenkamp S, Dragano N, Schmermund A, Beck EM, Siegrist J, Erbel R, **Jöckel KH**; Heinz Nixdorf Recall Study Investigative Group. Algorithms for converting random-zero to automated oscillometric blood pressure values, and vice versa. *Am J Epidemiol.* 2006; 164(1): 85-94. Erratum in: *Am J Epidemiol.* 2007 Apr 1;165(7):848
- [A179] Kröger K, Stang A, Kondratieva J, Moebus S, Beck E, Schmermund A, Möhlenkamp S, Dragano N, Siegrist J, **Jöckel KH**, Erbel R; Heinz Nixdorf

- Recall Study Group. Prevalence of peripheral arterial disease - results of the Heinz Nixdorf recall study. *Eur J Epidemiol.* 2006; 21(4): 279-85
- [A180] Bender R, Zeeb H, Schwarz M, **Jöckel KH**, Berger M. Causes of death in obesity: relevant increase in cardiovascular but not in all-cancer mortality. *J Clin Epidemiol.* 2006; 59(10): 1064-71
- [A181] Herpertz S, Burgmer R, Stang A, de Zwaan M, Wolf AM, Chen-Stute A, Hulisz T, **Jöckel KH**, Senf W. Prevalence of mental disorders in normal-weight and obese individuals with and without weight loss treatment in a German urban population. *J Psychosom Res.* 2006; 61(1): 95-103
- [A182] Neuhäuser M, **Jöckel KH**. Letter to the editor: Reply to M. Inman and G. Norman. *Int. J. of Clinical Pharmacology and Therapeutics* 2006; 44: 451-52
- [A183] Neuhäuser M, **Jöckel KH**. A bootstrap test for the analysis of microarray experiments with a very small number of replications. *Appl Bioinformatics* 2006; 5(3): 173-79
- [A184] Hauth EAM, Hoffmann B, Jäger H, **Jöckel KH**, Forsting M. Epidemiologische und kernspintomographische Verlaufskontrolle 10 Jahre nach vermutlich falscher Diagnose Brustkrebs. *Senologie* 2006; 3: 128-35
- [A185] Hoffmann B, Moebus S, Stang A, Beck EM, Dragano N, Möhlenkamp S, Schmermund A, Memmesheimer M, Mann K, Erbel R, **Jöckel KH**; Heinz Nixdorf RECALL Study Investigative Group. Residence close to high traffic and prevalence of coronary heart disease. *Eur Heart J.* 2006; 27(22): 2696-702
- [A186] Moebus S, Hanisch JU, Neuhäuser M, Aidelsburger P, Wasem J, **Jöckel KH**. Assessing the prevalence of the metabolic syndrome according to NCEP ATP III in Germany: feasibility and quality aspects of a two step approach in 1550 randomly selected primary health care practices. Bestimmung der Prävalenz des metabolischen Syndroms nach NCEP ATP III in Deutschland: Machbarkeit und Qualitätsaspekte eines zweistufigen Erhebungsansatzes in 1550 zufällig ausgewählten hausärztlichen Praxen. *GMS Ger Med Sci* 2006; 4: Doc07
- [A187] Stang A, **Jöckel KH**. Etiologic conclusions from similar birth cohort effects. *Cancer Epidemiol Biomarkers Prev.* 2006; 15(9): 1752; author reply 1752-3
- [A188] Kreuzer M, **Jöckel KH**, Wichmann HE, Straif K. Rauchen, Passivrauchen und Krebserkrankungen – Aktuelle Studien aus Deutschland und ihr Beitrag zur IARC-Monographie. *Der Onkologe* 2006
- [A189] Schmermund A, Möhlenkamp S, Berenbein S, Pump H, Moebus S, Roggenbuck U, Stang A, Seibel R, Grönemeyer D, **Jöckel KH**, Erbel R. Population-based assessment of subclinical coronary atherosclerosis using electron-beam computed tomography. *Atherosclerosis.* 2006; 185(1): 177-82
- [A190] Möhlenkamp S, Schmermund A, Kröger K, Kerkhoff G, Bröcker-Preuss M, Adams V, Hensel M, Kiefer D, Lehmann N, Moebus S, Leineweber K,

- Elsenbruch S, Barkhausen J, Halle M, Hambrecht R, Siegrist J, Mann K, Budde T, **Jöckel KH**, Erbel R. Coronary atherosclerosis and cardiovascular risk in masters male marathon runners. Rationale and design of the "marathon study". *Herz*. 2006; 31(6): 575-85
- [A191] Ostkirchen GG, Andler F, Hammer F, Pöhler KD, Snyder-Schendel E, Werner NK, Markett S, Horacek U, **Jöckel KH**, Diener HC. Prevalences of primary headache symptoms at school-entry: a population-based epidemiological survey of preschool children in Germany. *J Headache Pain*. 2006; 7(5): 331-40
- [A192] Stang A, **Jöckel KH**. The limits of case-control studies. *Epidemiology*. 2006; 17(6): 706
- [A193] Hoffmann B, **Jöckel KH**. Diesel exhaust and coal mine dust: lung cancer risk in occupational settings. *Ann N Y Acad Sci*. 2006; 1076: 253-65
- [A194] Stang A, Ahrens W, Baumgardt-Elms C, Stegmaier C, Merzenich H, de Vrese M, Schrezenmeir J, **Jöckel KH**. Adolescent milk fat and galactose consumption and testicular germ cell cancer. *Cancer Epidemiol Biomarkers Prev*. 2006; 15(11): 2189-95
- [A195] Hoffmann B, Straif K, Wichmann HE, **Jöckel KH**. Gesundheitliche Folgen des Passivrauchens. *Umweltmedizin in Forschung und Praxis* 2006; 11(6): 369-85
- [A196] Nüchel H, Frey UH, Bau M, Sellmann L, Stanelle J, Dürig J, **Jöckel KH**, Dührsen U, Siffert W. Association of a novel regulatory polymorphism (-938C>A) in the BCL2 gene promoter with disease progression and survival in chronic lymphocytic leukemia. *Blood*. 2007; 109(1): 290-7
- [A197] Ladd SC, Debatin JF, Stang A, Bromen K, Moebus S, Nuefer M, Gizewski E, Wanke I, Doerfler A, Ladd ME, Benemann J, Erbel R, Forsting M, Schmermund A, **Jöckel KH**. Whole-body MR vascular screening detects unsuspected concomitant vascular disease in coronary heart disease patients. *Eur Radiol*. 2007; 17(4): 1035-45
- [A198] Möhlenkamp S, Moebus S, Schmermund A, Lehmann N, Hoffmann B, Neumann T, Stang A, Dragano N, Kerkhoff G, Naber C, Kälsch H, Beck EM, Bröcker-Preuss M, Kröger K, Budde T, Siegrist J, Mann K, **Jöckel KH**, Erbel R; für die Studiengruppe der Heinz Nixdorf Recall Studie. Analyse des natürlichen Verlaufs der Koronargefäßverkalkung und Identifizierung ihrer Determinanten. *Herz* 2007; 32: 108-20
- [A199] Neuhäuser M, Lösch C, **Jöckel KH**. The Chen-Luo test in case of heteroscedasticity. *Computational Statistics & Data Analysis* 2007; 51: 5055-60
- [A200] Moebus S, Hanisch JU, Aidelsburger P, Bramlage P, Wasem J, **Jöckel KH**. Impact of 4 different definitions used for the assessment of the prevalence of the Metabolic Syndrome in primary healthcare: The German Metabolic and Cardiovascular Risk Project (GEMCAS). *Cardiovasc Diabetol*. 2007; 6: 22

- [A200a] Pannier F, Hoffmann B, Stang A, Jöckel KH, Rabe E. Prevalence and acceptance of therapy with medical compression stockings. *Phlebologie* 2007; 36: 245-49
- [A201] Stang A, Ziegler S, Büchner U, Ziegler B, **Jöckel KH**, Ziegler V. Malignant melanoma and nonmelanoma skin cancers in Northrhine-Westphalia, Germany: a patient- vs. diagnosis-based incidence approach. *Int J Dermatol.* 2007; 46(6): 564-70
- [A202] Reimann V, Krämer U, Sugiri D, Schroeder P, Hoffmann B, Medve-Koenigs K, **Jöckel KH**, Ranft U, Krutmann J. Sunbed use induces the photoaging-associated mitochondrial common deletion. *J Invest Dermatol* 2007; 128(5): 1294-97
- [A203] Hoffmann B, Moebus S, Möhlenkamp S, Stang A, Lehmann N, Dragano N, Schmermund A, Memmesheimer M, Mann K, Erbel R, **Jöckel KH**; Heinz Nixdorf Recall Study Investigative Group. Residential Exposure to traffic is associated with coronary atherosclerosis. *Circulation.* 2007; 116(5): 489-96
- [A204] Stang A, Stabenow R, Stegmaier C, Eisinger B, Bischof-Hammes E, **Jöckel KH**. Unexplained inversion of the incidence ratio of colon and rectal cancer among men in East Germany. A time trend analysis including 147, 790 cases. *Eur J Epidemiol.* 2007; 22(4): 245-55
- [A205] Schmidt-Pokrzywniak A, Stang A, Bornfeld N, **Jöckel KH**. Risk of Uveal Melanoma (Letter to the Editor). *Ophthalmology.* 2007; 114(7): 18
- [A206] Dragano N, Bobak M, Wege N, Peasey A, Verde PE, Kubinova R, Weyers S, Moebus S, Möhlenkamp S, Stang A, Erbel R, **Jöckel KH**, Siegrist J, Pikhart H. Neighbourhood socio-economic status and cardiovascular risk factors: a multilevel analysis of nine cities in the Czech Republic and Germany. *BMC Public Health* 2007; 7: 255
- [A207] Icks A, Moebus S, Feuersenger A, Haastert B, **Jöckel KH**, Giani G. Diabetes prevalence and association with social status – widening of a social gradient? *Diabetes Res Clin Pract.* 2007; 78(2): 293-97
- [A208] Schmermund A, Lehmann N, Bielak LF, Yu P, Sheedy PF 2nd, Cassidy-Bushrow AE, Turner ST, Moebus S, Möhlenkamp S, Stang A, Mann K, **Jöckel KH**, Erbel R, Peyser PA. Comparison of subclinical coronary atherosclerosis and risk factors in unselected populations in Germany and US-America. *Atherosclerosis.* 2007; 195(1): e207-16
- [A209] Hauner H, Hanisch J, Bramlage P, Steinhagen-Thiessen E, Schunkert H, **Jöckel KH**, Wasem J, Moebus S. Prevalence of undiagnosed type-2-diabetes mellitus and impaired fasting glucose in German primary care: data from the German metabolic and cardiovascular risk project (GEMCAS). *Exp Clin Endocrinol Diabetes.* 2007; 116(1): 18-25
- [A210] Stang A, Dragano N, Poole C, Moebus S, Möhlenkamp S, Schmermund A, Siegrist J, Erbel R, **Jöckel KH**. Daily siesta, cardiovascular risk factors, and

measures of subclinical atherosclerosis: results of the Heinz Nixdorf Recall Study. *Sleep* 2007; 30(9): 1111-19

- [A211] Icks A, Moebus S, Feuersenger A, Haastert B, **Jöckel KH**, Mielck A, Giani G. Widening of a social gradient in obesity risk? German national health surveys 1990 and 1998. *Eur J Epidemiol.* 2007; 22(10): 685-90
- [A212] Dragano N, Verde PE, Moebus S, Stang A, Schmermund A, Roggenbuck U, Möhlenkamp S, Peter R, **Jöckel KH**, Erbel R, Siegrist J; Heinz Nixdorf Recall Study. Subclinical coronary atherosclerosis is more pronounced in men and women with lower socio-economic status: associations in a population-based study. *Coronary atherosclerosis and social status. Eur J Cardiovasc Prev Rehabil.* 2007; 14(4): 568-74
- [A213] Möhlenkamp S, Moebus S, Schmermund A, Lehmann N, Hoffmann B, Neumann T, Stang A, Dragano N, Kerkhoff G, Naber C, Kälsch H, Beck EM, Bröcker-Preuss M, Kröger K, Budde T, Siegrist J, Mann K, **Jöckel KH**, Erbel R; für die Studiengruppe der Heinz Nixdorf Recall Studie. Assessment of the natural history of coronary artery calcification and identification of its determinants. Rationale of the 2nd part of the Heinz Nixdorf Recall Study. *Herz.* 2007; 32(2): 108-20
- [A214] Neuhäuser M, Boes T, **Joeckel KH**. Pseudo-precision in gene expression values can reduce efficiency. *Methods Inf Med* 2007; 46(5): 538-41