

2014

- [A367] Siegrist J, Dragano N, Nyberg ST, Lunau T, Alfredsson L, Erbel R, Fahlén G, Goldberg M, **Jöckel KH**, Knutsson A, Leineweber C, Magnusson Hanson LL, Nordin M, Rugulies R, Schupp J, Singh-Manoux A, Theorell T, Wagner GG, Westerlund H, Zins M, Heikkilä K, Fransson EI, Kivimäki M. Int Arch Occup Environ Health. Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. Int Arch Occup Environ Health. 2014: 87(3): 249-56
- [A368] Dugas M, **Jöckel KH**, Gefeller O, Knaup-Gregori P, Friede T, Ammenwerth E, Kieser M, Prokosch HU. Freier Zugang zu Dokumentationsformularen und Merkmalskatalogen im Gesundheitswesen. Memorandum „Open Metadata“. Open access to documentation forms and item catalogs in healthcare. Memorandum “Open Metadata”. GMS 2014: 10(1): ISSN 1860-9171
- [A369] Möhlenkamp S, Leineweber K, Lehmann N, Braun S, Roggenbuck U, Perrey M, Broecker-Preuss M, Budde T, Halle M, Mann K, **Jöckel KH**, Erbel R, Heusch G. Coronary atherosclerosis burden, but not transient troponin elevation, predicts long-term outcome in recreational marathon runners. Basic Res Cardiol. 2014: 109(1): 391
- [A370] Jarick I, Volckmar AL, Pütter C, Pechlivanis S, Nguyen TT, Dauvermann MR, Beck S, Albayrak O, Scherag S, Gilsbach S, Cichon S, Hoffmann P, Degenhardt F, Nöthen MM, Schreiber S, Wichmann HE, **Jöckel KH**, Heinrich J, Tiesler CM, Faraone SV, Walitza S, Sinzig J, Freitag C, Meyer J, Herpertz-Dahlmann B, Lehmkuhl G, Renner TJ, Warnke A, Romanos M, Lesch KP, Reif A, Schimmelmann BG, Hebebrand J, Scherag A, Hinney A. Genome-wide analysis of rare copy number variations reveals PARK2 as a candidate gene for attention-deficit/hyperactivity disorder. Mol Psychiatry. 2014: 19(1): 115-21
- [A371] Lehmann N, Möhlenkamp S, Mahabadi AA, Schmermund A, Roggenbuck U, Seibel R, Grönemeyer D, Budde T, Dragano N, Stang A, Mann K, Moebus S, Erbel R, **Jöckel KH**. Effect of smoking and other traditional risk factors on the onset of coronary artery calcification: Results of the Heinz Nixdorf recall study. Atherosclerosis 2014: 232: 339-45
- [A372] Kara K, Mahabadi AA, Geisel MH, Lehmann N, Kälsch H, Bauer M, Neumann T, Dragano N, Moebus S, Möhlenkamp S, **Jöckel KH**, Erbel R. B-type natriuretic peptide: distribution in the general population and the association with major cardiovascular and coronary events-The Heinz Nixdorf Recall Study. Clin Res Cardiol. 2014: 103(2): 125-32
- [A373] Balijepalli C, Löscher C, Bramlage P, Erbel R, Humphries KH, **Jöckel KH**, Moebus S. Percentile distribution of blood pressure readings in 35683 men and women aged 18 to 99 years. J Hum Hypertens. 2014: 28(3): 193-200
- [A374] Kälsch H, Hennig F, Moebus S, Möhlenkamp S, Dragano N, Jakobs H, Memmesheimer M, Erbel R, **Jöckel KH**, Hoffmann B; Heinz Nixdorf Recall Study Investigative Group. Are air pollution and traffic noise independently associated with atherosclerosis: the Heinz Nixdorf Recall Study. Eur Heart J. 2014: 35(13): 853-60
- [A375] Vlaanderen J, Portengen L, Schüz J, Olsson A, Pesch B, Kendzia B, Stücker I, Guida F, Brüske I, Wichmann HE, Consonni D, Landi MT, Caporaso N,

- Siemiatycki J, Merletti F, Mirabelli D, Richiardi L, Gustavsson P, Plato N, **Jöckel KH**, Ahrens W, Pohlabeln H, Tardón A, Zaridze D, Field JK, 't Mannetje A, Pearce N, McLaughlin J, Demers P, Szeszenia-Dabrowska N, Lissowska J, Rudnai P, Fabianova E, Stanescu Dumitru R, Bencko V, Foretova L, Janout V, Boffetta P, Forastiere F, Bueno-de-Mesquita B, Peters S, Brüning T, Kromhout H, Straif K, Vermeulen R. Effect modification of the association of cumulative exposure and cancer risk by intensity of exposure and time since exposure cessation: a flexible method applied to cigarette smoking and lung cancer in the SYNERGY Study. *Am J Epidemiol*. 2014: 179(3): 290-8
- [A376] Winkler V, Leitzmann M, Obi N, Ahrens W, Edinger T, Giani G, Linseisen J, Löffler M, Michels K, Nöthlings U, Schipf S, Kluttig A, Wichmann HE, Hoffmann B, **Jöckel KH**, Becher H. Response in individuals with and without foreign background and application to the National Cohort in Germany: which factors have an effect? *Int J Public Health*. 2014: 59(3): 555-63
- [A377] Stang A, **Jöckel KH**. Avoidance of representativeness in presence of effect modification. *Int J Epidemiol*. 2014: 43(2): 630-1
- [A377a] Rothman KJ, Hatch EE, Gallacher JEJ. Representativeness is not helpful in studying heterogeneity of effects across subgroups. *Int J Epidemiol*. 2014: 43(2): 633-634
- [A378] Erbel R, Lehmann N, Churzidse S, Rauwolf M, Mahabadi AA, Möhlenkamp S, Moebus S, Bauer M, Kälsch H, Budde T, Montag M, Schmermund A, Stang A, Führer-Sakel D, Weimar C, Roggenbuck U, Dragano N, **Jöckel KH**; on behalf of the Heinz Nixdorf Recall Study Investigators. Progression of coronary artery calcification seems to be inevitable, but predictable - results of the Heinz Nixdorf Recall (HNR) study† *Eur Heart J*. 2014: 35(42): 2960-71
- [A379] Stang A, Kluttig A, Moebus S, Völzke H, Berger K, Greiser KH, Stöckl D, **Jöckel KH**, Meisinger C. Educational level, prevalence of hysterectomy, and age at amenorrhoea: a cross-sectional analysis of 9536 women from six population-based cohort studies in Germany. *BMC Womens Health*. 2014: 14: 10
- [A380] Weinhold N, Johnson DC, Rawstron AC, Försti A, Doughty C, Vijayakrishnan J, Broderick P, Dahir NB, Begum DB, Hosking FJ, Yong K, Walker BA, Hoffmann P, Mühleisen TW, Langer C, Dörner E, **Jöckel KH**, Eisele L, Nöthen MM, Hose D, Davies FE, Goldschmidt H, Morgan GJ, Hemminki K, Houlston RS. Inherited genetic susceptibility to monoclonal gammopathy of unknown significance. *Blood*. 2014: 123(16): 2513-7
- [A381] Cesaroni G, Forastiere F, Stafoggia M, Andersen ZJ, Badaloni C, Beelen R, Caracciolo B, de Faire U, Erbel R, Eriksen KT, Fratiglioni L, Galassi C, Hampel R, Heier M, Hennig F, Hilding A, Hoffmann B, Houthuijs D, **Jöckel KH**, Korek M, Lanki T, Leander K, Magnusson PK, Migliore E, Ostenson CG, Overvad K, Pedersen NL, J JP, Penell J, Pershagen G, Pyko A, Raaschou-Nielsen O, Ranzi A, Ricceri F, Sacerdote C, Salomaa V, Swart W, Turunen AW, Vineis P, Weinmayr G, Wolf K, de Hoogh K, Hoek G, Brunekreef B, Peters A. Long term exposure to ambient air pollution and incidence of acute coronary events: prospective cohort study and meta-analysis in 11 European cohorts from the ESCAPE Project. *BMJ*. 2014: 348: f7412

- [A382] Weidner CI, Lin Q, Koch CM, Eisele L, Beier F, Ziegler P, Bauerschlag DO, **Jöckel KH**, Erbel R, Mühleisen TW, Zenke M, Brümmendorf TH, Wagner W. Aging of blood can be tracked by DNA methylation changes at just three CpG sites. *Genome Biol.* 2014; 15(2): R24
- [A383] Kälsch H, Lehmann N, Mahabadi AA, Bauer M, Kara K, Hüppe P, Moebus S, Möhlenkamp S, Dragano N, Schmermund A, Stang A, **Jöckel KH**, Erbel R; on behalf of the Investigator Group of the Heinz Nixdorf Recall Study. Beyond Framingham risk factors and coronary calcification: does aortic valve calcification improve risk prediction? The Heinz Nixdorf Recall Study. *Heart.* 2014; 100(12): 930-7
- [A384] DIAbetes Genetics Replication And Meta-analysis (DIAGRAM) Consortium, ..., **Jöckel KH**, ... Morris AP. Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nat Genet.* 2014; 46(3): 234-44
- [A385] Gronewold J, Hermann DM, Lehmann N, Kröger K, Lauterbach K, Berger K, Weimar C, Kälsch HI, Moebus S, **Jöckel KH**, Bauer M, Erbel R; Heinz Nixdorf Recall Study Investigative Group. Ankle-brachial index predicts stroke in the general population in addition to classical risk factors. *Atherosclerosis.* 2014; 233(2): 545-50
- [A386] Dlugaj M, Weinreich G, Weimar C, Stang A, Dragano N, Wessendorf TE, Teschler H, Winkler A, Wege N, Moebus S, Möhlenkamp S, Erbel R, **Jöckel KH**. Sleep-Disordered Breathing, Sleep Quality, and Mild Cognitive Impairment in the General Population. *J Alzheimers Dis.* 2014; 41(2): 479-97
- [A387] Kara K, Gronewold J, Neumann T, Mahabadi AA, Weimar C, Lehmann N, Berger K, Kälsch HI, Bauer M, Broecker-Preuss M, Möhlenkamp S, Moebus S, **Jöckel KH**, Erbel R, Hermann DM. B-type natriuretic peptide predicts stroke of presumable cardioembolic origin in addition to coronary artery calcification. *Eur J Neurol.* 2014; 21(6): 914-21
- [A388] Schmidt-Pokrzywniak A, Kalbitz S, Kuss O, **Jöckel KH**, Bornfeld N, Stang A. Assessment of the effect of iris colour and having children on 5-year risk of death after diagnosis of uveal melanoma: a follow-up study. *BMC Ophthalmol.* 2014; 14(1): 42
- [A389] Starkbaum J, Gottweis H, Gottweis U, Kleiser C, Linseisen J, Meisinger C, Kamtsiuris P, Moebus S, **Jöckel KH**, Börm S, Wichmann HE. Public perceptions of cohort studies and biobanks in Germany. *Biopreserv Biobank.* 2014; 12(2): 121-30
- [A390] Hennig F, Fuks K, Moebus S, Weinmayr G, Memmesheimer M, Jakobs H, Bröcker-Preuss M, Führer-Sakel D, Möhlenkamp S, Erbel R, **Jöckel KH**, Hoffmann B. Association between Source-Specific Particulate Matter Air Pollution and hs-CRP: Local Traffic and Industrial Emissions. *Environ Health Perspect.* 2014; 122(7): 703-10
- [A391] Winkler TW, Day FR, Croteau-Chonka DC, Wood AR, Locke AE, Mägi R, Ferreira T, Fall T, Graff M, Justice AE, Luan J, Gustafsson S, Randall JC, Vedantam S, Workalemahu T, Kilpeläinen TO, Scherag A, Esko T, Kutalik Z, Heid IM, Loos RJ; Genetic Investigation of Anthropometric Traits (GIANT) Consortium. Quality control and conduct of genome-wide association meta-analyses. *Nat Protoc.* 2014; 9(5): 1192-1212

- [A392] Mahabadi AA, Geisel MH, Lehmann N, Lammerding C, Kälsch H, Bauer M, Moebus S, **Jöckel KH**, Erbel R, Möhlenkamp S. Association of computed tomography-derived left atrial size with major cardiovascular events in the general population: The Heinz Nixdorf Recall Study. *Int J Cardiol.* 2014; 174(2): 318-23
- [A393] Köhler CU, Martin L, Bonberg N, Behrens T, Deix T, Braun K, Noldus J, **Jöckel KH**, Erbel R, Sommerer F, Tannapfel A, Harth V, Käfferlein HU, Brüning T. Automated quantification of FISH signals in urinary cells enables the assessment of chromosomal aberration patterns characteristic for bladder cancer. *Biochem Biophys Res Commun.* 2014; 448(4): 467-72
- [A394] Tamayo T, Claessen H, Rückert IM, Maier W, Schunk M, Meisinger C, Mielck A, Holle R, Thorand B, Narres M, Moebus S, Mahabadi AA, Pundt N, Krone B, Slomiany U, Erbel R, **Jöckel KH**, Rathmann W, Icks A. Treatment pattern of type 2 diabetes differs in two german regions and with patients' socioeconomic position. *PLoS One.* 2014; 9(6): e99773.
- [A395] Schmidt B, Dragano N, Scherag A, Pechlivanis S, Hoffmann P, Nöthen MM, Erbel R, **Jöckel KH**, Moebus S. Exploring genetic variants predisposing to diabetes mellitus and their association with indicators of socioeconomic status. *BMC Public Health.* 2014; 14: 609
- [A396] Mahabadi AA, Lehmann N, Möhlenkamp S, Kälsch H, Bauer M, Schulz R, Moebus S, **Jöckel KH**, Erbel R, Heusch G. Association of bilirubin with coronary artery calcification and cardiovascular events in the general population without known liver disease: the Heinz Nixdorf Recall study. *Clin Res Cardiol.* 2014; 103(8): 647-53
- [A397] German National Cohort (GNC) Consortium. The German National Cohort: aims, study design and organization. *Eur J Epidemiol.* 2014; 29(5): 371-82
- [A398] Arking DE, Pulit SL, Crotti L, van der Harst P, Munroe PB, Koopmann TT, Sotoodehnia N, Rossin EJ, Morley M, Wang X, Johnson AD, Lundby A, Gudbjartsson DF, Noseworthy PA, Eijgelsheim M, Bradford Y, ..., Erbel R, Hoffmann P, **Jöckel KH**, Kälsch H, Nöthen MM; HRGEN Consortium, ..., Pfeufer A, de Bakker PI, Newton-Cheh C. Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. *Nat Genet.* 2014; 46(8): 826-36
- [A399] Caspers S, Moebus S, Lux S, Pundt N, Schütz H, Mühleisen TW, Gras V, Eickhoff SB, Romanzetti S, Stöcker T, Stirnberg R, Kirlangic ME, Minnerop M, Pieperhoff P, Mödder U, Das S, Evans AC, **Jöckel KH**, Erbel R, Cichon S, Nöthen MM, Sturma D, Bauer A, Jon Shah N, Zilles K, Amunts K. Studying variability in human brain aging in a population-based German cohort-rationale and design of 1000BRAINS. *Front Aging Neurosci.* 2014; 6: 149
- [A400] Kälsch H, Lehmann N, Berg MH, Mahabadi AA, Mergen P, Möhlenkamp S, Bauer M, Kara K, Dragano N, Hoffmann B, Moebus S, Schmermund A, Stang A, **Jöckel KH**, Erbel R. Coronary artery calcification outperforms thoracic aortic calcification for the prediction of myocardial infarction and all-cause mortality: The Heinz Nixdorf Recall Study. *Eur J Prev Cardiol.* 2014; 21(9): 1163-70

- [A401] Kara K, Mahabadi AA, Berg MH, Lehmann N, Möhlenkamp S, Kälsch H, Bauer M, Moebus S, Dragano N, **Jöckel KH**, Neumann T, Erbel R. Predicting risk of coronary events and all-cause mortality: role of B-type natriuretic peptide above traditional risk factors and coronary artery calcium scoring in the general population: the Heinz Nixdorf Recall Study. *Eur J Prev Cardiol.* 2014; 21(9): 1171-9
- [A402] Gronewold J, Bauer M, Lehmann N, Mahabadi AA, Kälsch H, Weimar C, Berger K, Moebus S, **Jöckel KH**, Erbel R, Hermann DM; Heinz Nixdorf Recall Study Investigative Group. Coronary artery calcification, intima-media thickness, and ankle-brachial index are complementary stroke predictors. *Stroke.* 2014; 45(9): 2702-9
- [A403] Yeboah J, Erbel R, Delaney JC, Nance R, Guo M, Bertoni AG, Budoff M, Moebus S, **Jöckel KH**, Burke GL, Wong ND, Lehmann N, Herrington DM, Möhlenkamp S, Greenland P. Development of a new diabetes risk prediction tool for incident coronary heart disease events: The Multi-Ethnic Study of Atherosclerosis and the Heinz Nixdorf Recall Study. *Atherosclerosis.* 2014; 236(2): 411-7
- [A404] Hoggart CJ, Venturini G, Mangino M, Gomez F, Ascari G, Zhao JH, Teumer A, Winkler TW, Tšernikova N, Luan J, Mihailov E, Ehret GB, Zhang W, Lamparter D, Esko T, Macé A, Rieger S, Bochud PY, Barcella M, Dauvilliers Y, Benyamin B, Evans DM, Hayward C, Lopez MF, Franke L, Russo A, Heid IM, Salvi E, Vendantam S, Arking DE, Boerwinkle E, Chambers JC, Fiorito G, Grallert H, Guarrera S, Homuth G, Huffman JE, Porteous D; Generation Scotland Consortium; LifeLines Cohort study; **GIANT Consortium**, Moradpour D, Iranzo A, Hebebrand J, Kemp JP, Lammers GJ, Aubert V, Heim MH, Martin NG, Montgomery GW, Peraita-Adrados R, Santamaria J, Negro F, Schmidt CO, Scott RA, Spector TD, Strauch K, Völzke H, Wareham NJ, Yuan W, Bell JT, Chakravarti A, Kooner JS, Peters A, Matullo G, Wallaschofski H, Whitfield JB, Paccaud F, Vollenweider P, Bergmann S, Beckmann JS, Tafti M, Hastie ND, Cusi D, Bochud M, Frayling TM, Metspalu A, Jarvelin MR, Scherag A, Smith GD, Borecki IB, Rousson V, Hirschhorn JN, Rivolta C, Loos RJ, Kutalik Z. Novel approach identifies SNPs in SLC2A10 and KCNK9 with evidence for parent-of-origin effect on body mass index. *PLoS Genet.* 2014; 10(7): e1004508
- [A405] Denholm R, Schüz J, Straif K, Stücker I, **Jöckel KH**, Brenner DR, De Matteis S, Boffetta P, Guida F, Brüske I, Wichmann HE, Landi MT, Caporaso N, Siemiatycki J, Ahrens W, Pohlabein H, Zaridze D, Field JK, McLaughlin J, Demers P, Szeszenia-Dabrowska N, Lissowska J, Rudnai P, Fabianova E, Dumitru RS, Bencko V, Foretova L, Janout V, Kendzia B, Peters S, Behrens T, Vermeulen R, Brüning T, Kromhout H, Olsson A. Is Previous Respiratory Disease a Risk Factor for Lung Cancer? *Am J Respir Crit Care Med.* 2014; 190(5): 549-59
- [A406] Mahabadi AA, Lehmann N, Sonneck NC, Kälsch H, Bauer M, Kara K, Geisel MH, Moebus S, **Jöckel KH**, Erbel R, Möhlenkamp S; on behalf of the Heinz Nixdorf Recall Study Investigative Group. Left atrial size quantification using non-contrast-enhanced cardiac computed tomography - association with cardiovascular risk factors and gender-specific distribution in the general population: the Heinz Nixdorf Recall study. *Acta Radiol.* 2014; 55(8): 917-25

- [A407] Mahabadi AA, Lehmann N, Kälsch H, Bauer M, Dykun I, Kara K, Moebus S, **Jöckel KH**, Erbel R, Möhlenkamp S. Association of epicardial adipose tissue and left atrial size on non-contrast CT with atrial fibrillation: The Heinz Nixdorf Recall Study. *Eur Heart J Cardiovasc Imaging*. 2014; 15(8): 863-9
- [A408] Reiss K, Dragano N, Ellert U, Fricke J, Greiser KH, Keil T, Krist L, Moebus S, Pundt N, Schlaud M, Yesil-Jürgens R, Zeeb H, Zimmermann H, Razum O, **Jöckel KH**, Becher H. Comparing sampling strategies to recruit migrants for an epidemiological study. Results from a German feasibility study. *Eur J Public Health*. 2014; 24(5): 721-6
- [A409] Winkler A, Dlugaj M, Weimar C, **Jöckel KH**, Erbel R, Dragano N, Moebus S. Association of Diabetes Mellitus and Mild Cognitive Impairment in Middle-Aged Men and Women. *Alzheimers Dis*. 2014; 42(4): 1269-77
- [A410] Mahabadi AA, Lehmann N, Kälsch H, Robens T, Bauer M, Dykun I, Budde T, Moebus S, **Jöckel KH**, Erbel R, Möhlenkamp S. Association of epicardial adipose tissue with progression of coronary artery calcification is more pronounced in the early phase of atherosclerosis: results from the Heinz Nixdorf recall study. *JACC Cardiovasc Imaging*. 2014; 7(9): 909-16
- [A411] Frey UH, Moebus S, Möhlenkamp S, Kälsch H, Bauer M, Lehmann N, Nöthen M, Mühleisen TW, Stang A, Erbel R, **Jöckel KH**, Peters J, Siffert W. GNB3 gene 825 TT variant predicts hard coronary events in the population-based Heinz Nixdorf Recall study. *Atherosclerosis* 2014; 237: 437-42

2015

- [A412] Dykun I, Mahabadi AA, Lehmann N, Bauer M, Moebus S, **Jöckel KH**, Möhlenkamp S, Erbel R, Kälsch H. Left ventricle size quantification using non-contrast-enhanced cardiac computed tomography - association with cardiovascular risk factors and coronary artery calcium score in the general population: The Heinz Nixdorf Recall Study. *Acta Radiol*. 2015; 56(8): 933-42
- [A413] Kara K, Geisel MH, Möhlenkamp S, Lehmann N, Kälsch H, Bauer M, Neumann T, Dragano N, Moebus S, **Jöckel KH**, Erbel R, Mahabadi AA. B-type natriuretic peptide for incident atrial fibrillation-The Heinz Nixdorf Recall Study. *J Cardiol*. 2015; 65(6): 453-8
- [A414] Consonni D, Matteis SD, Pesatori AC, Bertazzi PA, Olsson AC, Kromhout H, Peters S, Vermeulen RC, Pesch B, Brüning T, Kendzia B, Behrens T, Stücker I, Guida F, Wichmann HE, Brüske I, Landi MT, Caporaso NE, Gustavsson P, Plato N, Tse LA, Yu IT, **Jöckel KH**, Ahrens W, Pohlmann H, Merletti F, Richiardi L, Simonato L, Forastiere F, Siemiatycki J, Parent ME, Tardón A, Boffetta P, Zaridze D, Chen Y, Field JK, 't Mannetje A, Pearce N, McLaughlin J, Demers P, Lissowska J, Szeszenia-Dabrowska N, Bencko V, Foretova L, Janout V, Rudnai P, Fabiánová E, Stanescu Dumitru R, Bueno-de-Mesquita B, Schüz J, Straif K. Lung cancer risk among bricklayers in a pooled analysis of case-control studies. *Int J Cancer*. 2015; 136(2): 360-71
- [A415] Dlugaj M, Winkler A, Dragano N, Moebus S, **Jöckel KH**, Erbel R, Weimar C. Depression and mild cognitive impairment in the general population: results of the heinz nixdorf recall study. *J Alzheimers Dis*. 2015; 45(1): 159-74

- [A416] Hermann DM, Lehmann N, Gronewold J, Bauer M, Mahabadi AA, Weimar C, Berger K, Moebus S, **Jöckel KH**, Erbel R, Kälsch H; on behalf of the Heinz Nixdorf Recall Study Investigative Group. Thoracic aortic calcification is associated with incident stroke in the general population in addition to established risk factors. *Eur Heart J Cardiovasc Imaging*. 2015; 16(6): 684-90
- [A417] van Setten J, Išgum I, Pechlivanis S, Tragante V, de Jong PA, Smolonska J, Platteel M, Hoffmann P, Oudkerk M, de Koning HJ, Nöthen MM, Moebus S, Erbel R, **Jöckel KH**, Viergever MA, Mali WP, de Bakker PI. Serum Lipid Levels, Body Mass Index, and Their Role in Coronary Artery Calcification: A Polygenic Analysis. *Circ Cardiovasc Genet*. 2015; 8(2): 327-33
- [A418] Virtanen M, Jokela M, Nyberg ST, Madsen IE, Lallukka T, Ahola K, Alfredsson L, Batty GD, Bjorner JB, Borritz M, Burr H, Casini A, Clays E, De Bacquer D, Dragano N, Erbel R, Ferrie JE, Fransson EI, Hamer M, Heikkilä K, **Jöckel KH**, Kittel F, Knutsson A, Koskenvuo M, Ladwig KH, Lunau T, Nielsen ML, Nordin M, Oksanen T, Pejtersen JH, Pentti J, Rugulies R, Salo P, Schupp J, Siegrist J, Singh-Manoux A, Steptoe A, Suominen SB, Theorell T, Vahtera J, Wagner GG, Westerholm PJ, Westerlund H, Kivimäki M. Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. *BMJ*. 2015; 350: g7772
- [A419] Diederichsen AC, Mahabadi AA, Gerke O, Lehmann N, Sand NP, Moebus S, Lambrechtsen J, Kälsch H, Jensen JM, **Jöckel KH**, Micklely H, Erbel R. Increased discordance between HeartScore and coronary artery calcification score after introduction of the new ESC prevention guidelines. *Atherosclerosis*. 2015; 239(1): 143-9
- [A420] Bigert C, Gustavsson P, Straif K, Pesch B, Brüning T, Kendzia B, Schüz J, Stücker I, Guida F, Brüske I, Wichmann HE, Pesatori AC, Landi MT, Caporaso N, Tse LA, Yu IT, Siemiatycki J, Pintos J, Merletti F, Mirabelli D, Simonato L, **Jöckel KH**, Ahrens W, Pohlabein H, Tardón A, Zaridze D, Field J, 't Mannetje A, Pearce N, McLaughlin J, Demers P, Szeszenia-Dabrowska N, Lissowska J, Rudnai P, Fabianova E, Stanescu Dumitru R, Bencko V, Foretova L, Janout V, Boffetta P, Forastiere F, Bueno-de-Mesquita B, Peters S, Vermeulen R, Kromhout H, Olsson AC. Lung cancer risk among cooks when accounting for tobacco smoking: a pooled analysis of case-control studies from europe, Canada, new zealand, and china. *J Occup Environ Med*. 2015; 57(2): 202-9
- [A421] Kara K, Lehmann N, Neumann T, Kälsch H, Möhlenkamp S, Dykun I, Broecker-Preuss M, Pundt N, Moebus S, **Jöckel KH**, Erbel R, Mahabadi AA. NT-proBNP is superior to BNP for predicting first cardiovascular events in the general population: The Heinz Nixdorf Recall Study. *Int J Cardiol*. 2015; 183C: 155-161
- [A422] Shungin D, Winkler TW, Croteau-Chonka DC, Ferreira T, Locke AE, Mägi R, Strawbridge RJ, Pers TH, Fischer K, Justice AE, Workalemahu T, Wu JM, Buchkovich ML, Heard-Costa NL, ..., Erbel R, ...**Jöckel KH**, ...Wichmann HE, Abecasis GR, Assimes TL, Berndt SI, Boehnke M, Borecki IB, Deloukas P, Franke L, Frayling TM, Groop LC, Hunter DJ, Kaplan RC, O'Connell JR, Qi L, Schlessinger D, Strachan DP, Stefansson K, van Duijn CM, Willer CJ, Visscher PM, Yang J, Hirschhorn JN, Zillikens MC, McCarthy MI, Speliotes

- EK, North KE, Fox CS, Barroso I, Franks PW, Ingelsson E, Heid IM, Loos RJ, Cupples LA, Morris AP, Lindgren CM, Mohlke KL. New genetic loci link adipose and insulin biology to body fat distribution. *Nature*. 2015: 518(7538): 187-96
- [A423] Locke AE, Kahali B, Berndt SI, Justice AE, Pers TH, Day FR, Powell C, Vedantam S, Buchkovich ML, Yang J, Croteau-Chonka DC, Esko T, Fall T, Ferreira T, Gustafsson S,... **Jöckel KH**, ...Boehnke M, Mohlke KL, Lindgren CM, Beckmann JS, Barroso I, North KE, Ingelsson E, Hirschhorn JN, Loos RJ, Speliotes EK. Genetic studies of body mass index yield new insights for obesity biology. *Nature*. 2015: 518(7538): 197-206
- [A424] Dykun I, Geisel MH, Kälsch H, Lehmann N, Bauer M, Moebus S, **Jöckel KH**, Möhlenkamp S, Erbel R, Mahabadi AA. Association of computed tomography-derived left ventricular size with major cardiovascular events in the general population: The Heinz Nixdorf recall study. *Atherosclerosis*. 2015: 240(1): 46-52
- [A425] Zimmermann E, Ängquist LH, Mirza SS, Zhao JH, Chasman DI, Fischer K, Qi Q, Smith AV, Thinggaard M, Jarczok MN, Nalls MA, Trompet S, Timpson NJ, Schmidt B, Jackson AU, Lyytikäinen LP, Verweij N, Mueller-Nurasyid M, Vikström M, Marques-Vidal P, Wong A, Meidtner K, Middelberg RP, Strawbridge RJ, Christiansen L; The FTO-Mortality Collaborating Group, Kyvik KO, Hamsten A, Jääskeläinen T, Tjønneland A, Eriksson JG, Whitfield JB, Boeing H, Hardy R, Vollenweider P, Leander K, Peters A, van der Harst P, Kumari M, Lehtimäki T, Meirhaeghe A, Tuomilehto J, **Jöckel KH**, Ben-Shlomo Y, Sattar N, Baumeister SE, Davey Smith G, Casas JP, Houston DK, März W, Christensen K, Gudnason V, Hu FB, Metspalu A, Ridker PM, Wareham NJ, Loos RJ, Tiemeier H, Sonestedt E, Sørensen TI. Is the adiposity-associated FTO gene variant related to all-cause mortality independent of adiposity? Meta-analysis of data from 169,551 Caucasian adults. *Obes Rev*. 2015: 16(4): 327-40
- [A426] Escott-Price V, Sims R, Bannister C, Harold D, Vronskaya M, Majounie E, Badarinarayan N; GERAD (**Jöckel KH**) /PERADES; IGAP consortia, Morgan K, Passmore P, Holmes C, Powell J, Brayne C, Gill M, Mead S, Goate A, Cruchaga C, Lambert JC, van Duijn C, Maier W, Ramirez A, Holmans P, Jones L, Hardy J, Seshadri S, Schellenberg GD, Amouyel P, Williams J. Common polygenic variation enhances risk prediction for Alzheimer's disease. *Brain* 2015: 138(12): 3673-84
- [A427] Hoffmann B, Weinmayr G, Hennig F, Fuks K, Moebus S, Weimar C, Dragano N, Hermann DM, Kälsch H, Mahabadi AA, Erbel R, **Jöckel KH**. Luftqualität, Schlaganfall und koronare Ereignisse: Ergebnisse der Heinz Nixdorf Recall Studie aus dem Ruhrgebiet / Air Quality, Stroke, and Coronary Events: Results of the Heinz Nixdorf Recall Study From the Ruhr Region. *Dtsch Arztebl Int* 2015: 112(12): 195-201
- [A428] Temming P, Viehmann A, Arendt M, Eisele L, Spix C, Bornfeld N, Sauerwein W, **Jöckel KH**, Lohmann DR. Pediatric second primary malignancies after retinoblastoma treatment. *Pediatr Blood Cancer*. 2015: 62(10): 1799-1804
- [A429] Pesch B, Kendzia B, Hauptmann K, Van Gelder R, Stamm R, Hahn JU, Zschesche W, Behrens T, Weiss T, Siemiatycki J, Lavoué J, **Jöckel KH**, Brüning T. Airborne exposure to inhalable hexavalent chromium in welders

- and other occupations: Estimates from the German MEGA database. *Int J Hyg Environ Health*. 2015; 218(5): 500-6
- [A430] Bamberg F, Kauczor HU, Weckbach S, Schlett CL, Forsting M, Ladd SC, Greiser KH, Weber MA, Schulz-Menger J, Niendorf T, Pischon T, Caspers S, Amunts K, Berger K, Bülow R, Hosten N, Hegenscheid K, Kröncke T, Linseisen J, Günther M, Hirsch JG, Köhn A, Hendel T, Wichmann HE, Schmidt B, **Jöckel KH**, Hoffmann W, Kaaks R, Reiser MF, Völzke H; German National Cohort MRI Study Investigators. Whole-Body MR Imaging in the German National Cohort: Rationale, Design, and Technical Background. *Radiology*. 2015; 277(1): 206-20
- [A431] Schramm SH, Moebus S, Özyurt Kugumcu M, Geisel MH, Obermann M, Yoon MS, Diener HC, **Jöckel KH**, Katsarava Z. Use of aspirin combinations with caffeine and increasing headache frequency: a prospective population-based study. *Pain*. 2015; 156(9):1747-54
- [A432] Ahrens W, **Jöckel KH**. Der Nutzen großer Kohortenstudien für die Gesundheitsforschung am Beispiel der Nationalen Kohorte / The benefit of large-scale cohort studies for health research: the example of the German National Cohort. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2015; 58(8): 813-21
- [A433] Weinmayr G, Hennig F, Fuks K, Nonnemacher M, Jakobs H, Möhlenkamp S, Erbel R, **Jöckel KH**, Hoffmann B, Moebus S; Heinz Nixdorf Recall Investigator Group. Long-term exposure to fine particulate matter and incidence of type 2 diabetes mellitus in a cohort study: effects of total and traffic-specific air pollution. *Environ Health*. 2015; 14(1): 53
- [A434] Dugas M, **Jöckel KH**, Friede T, Gefeller O, Kieser M, Marscholke M, Ammenwerth E, Röhrig R, Knaup-Gregori P, Prokosch HU. Memorandum "Open Metadata". Open Access to Documentation Forms and Item Catalogs in Healthcare. *Methods Inf Med*. 2015; 54(4): 376-8
- [A435] Hosp F, Vossfeldt H, Heinig M, Vasiljevic D, Arumughan A, Wyler E; Genetic and Environmental Risk for Alzheimer's Disease GERAD1 Consortium, Landthaler M, Hubner N, Wanker EE, Lannfelt L, Ingelsson M, Lalowski M, Voigt A, Selbach M. Quantitative interaction proteomics of neurodegenerative disease proteins. *Cell Rep*. 2015; 11(7): 1134-46
- [A436] Østergaard SD, Mukherjee S, Sharp SJ, Proitsi P, Lotta LA, Day F, Perry JR, Boehme KL, Walter S, Kauwe JS, Gibbons LE; Alzheimer's Disease Genetics Consortium; GERAD1 Consortium; EPIC-InterAct Consortium, Larson EB, Powell JF, Langenberg C, Crane PK, Wareham NJ, Scott RA. Associations between Potentially Modifiable Risk Factors and Alzheimer Disease: A Mendelian Randomization Study. *PLoS Med*. 2015; 12(6): e1001841
- [A437] Wrona M, **Jöckel KH**, Pannier F, Bock E, Hoffmann B, Rabe E. Association of Venous Disorders with Leg Symptoms: Results from the Bonn Vein Study 1. *Eur J Vasc Endovasc Surg*. 2015; 50(3): 360-7
- [A438] Taeger D, Pesch B, Kendzia B, Behrens T, **Jöckel KH**, Dahmann D, Siemiatycki J, Kromhout H, Vermeulen R, Peters S, Olsson A, Brüske I, Wichmann HE, Stücker I, Guida F, Tardón A, Merletti F, Mirabelli D, Richiardi L, Pohlmann H, Ahrens W, Landi MT, Caporaso N, Pesatori AC,

- Mukeriya A, Szeszenia-Dabrowska N, Lissowska J, Gustavsson P, Field J, Marcus MW, Fabianova E, 't Mannetje A, Pearce N, Rudnai P, Bencko V, Janout V, Dumitru RS, Foretova L, Forastiere F, McLaughlin J, Paul Demers PD, Bueno-de-Mesquita B, Schüz J, Straif K, Brüning T. Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. *Scand J Work Environ Health*. 2015; 41(5): 467-77
- [A439] Weinreich G, Wessendorf TE, Pundt N, Weinmayr G, Hennig F, Moebus S, Möhlenkamp S, Erbel R, **Jöckel KH**, Teschler H, Hoffmann B; Heinz Nixdorf Recall study group. Association of short-term ozone and temperature with sleep disordered breathing. *Eur Respir J*. 2015; 46(5): 1361-9
- [A440] Mönninghoff C, Dlugaj M, Kraff O, Geisel MH, **Jöckel KH**, Erbel R, Weimar C, Wanke I; Heinz Nixdorf Recall Study Investigative Group. Are Transversal MR Images Sufficient to Distinguish Persons with Mild Cognitive Impairment From Healthy Controls? *Acad Radiol*. 2015; 22(9): 1172-80
- [A441] Viehmann A, Hertel S, Fuks K, Eisele L, Moebus S, Möhlenkamp S, Nonnemacher M, Jakobs H, Erbel R, **Jöckel KH**, Hoffmann B; Heinz Nixdorf Recall Investigator Group. Long-term residential exposure to urban air pollution, and repeated measures of systemic blood markers of inflammation and coagulation. *Occup Environ Med*. 2015; 72(9): 656-63
- [A442] Kälsch J, Bechmann LP, Heider D, Best J, Manka P, Kälsch H, Sowa JP, Moebus S, Slomiany U, **Jöckel KH**, Erbel R, Gerken G, Canbay A. Normal liver enzymes are correlated with severity of metabolic syndrome in a large population based cohort. *Sci Rep*. 2015; 5: 13058
- [A443] Kivimäki M, Jokela M, Nyberg ST, Singh-Manoux A, Fransson EI, Alfredsson L, Bjorner JB, Borritz M, Burr H, Casini A, Clays E, De Bacquer D, Dragano N, Erbel R, Geuskens GA, Hamer M, Hooftman WE, Houtman IL, **Jöckel KH**, Kittel F, Knutsson A, Koskenvuo M, Lunau T, Madsen IE, Nielsen ML, Nordin M, Oksanen T, Pejtersen JH, Pentti J, Rugulies R, Salo P, Shipley MJ, Siegrist J, Steptoe A, Suominen SB, Theorell T, Vahtera J, Westerholm PJ, Westerlund H, O'Reilly D, Kumari M, Batty GD, Ferrie JE, Virtanen M; IPD-Work Consortium. Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603 838 individuals. *Lancet*. 2015; 386(10005): 1739-46
- [A444] Weimar C, Winkler A, Dlugaj M, Lehmann N, Hennig F, Bauer M, Kröger K, Kälsch H, Mahabadi AA, Dragano N, Moebus S, Hoffmann B, **Jöckel KH**, Erbel R, and on behalf the Heinz Nixdorf Recall Study Investigative Group. Ankle-Brachial Index but Neither Intima Media Thickness Nor coronary Artery Calcification is Associated With Mild Cognitive Impairment. *Journal of Alzheimer's Disease* 2015; 47: 433–442
- [A445] Stang A, Schuler M, Kowall B, Darwiche K, Kühl H, **Jöckel KH**. Lungenkrebscreening mit Low-Dose-Computertomographie in Deutschland. Lung cancer screening using low dose CT scanning in Germany. *Dtsch Arztebl Int* 2015; 112(38): 637-44
- [A446] McClelland RL, Jorgensen NW, Budoff M, Blaha MJ, Post WS, Kronmal RA, Bild DE, Shea S, Liu K, Watson KE, Folsom AR, Khera A, Ayers C, Mahabadi AA, Lehmann N, **Jöckel KH**, Moebus S, Carr JJ, Erbel R, Burke

GL. 10-Year Coronary Heart Disease Risk Prediction Using Coronary Artery Calcium and Traditional Risk Factors: Derivation in the MESA (Multi-Ethnic Study of Atherosclerosis) With Validation in the HNR (Heinz Nixdorf Recall) Study and the DHS (Dallas Heart Study). *J Am Coll Cardiol.* 2015; 66(15): 1643-53

- [A447] Gaulton KJ, Ferreira T, Lee Y, Raimondo A, Mägi R, Reschen ME, Mahajan A, Locke A, ...Erbel R, **Jöcke KH**, Moebus S...; DIABetes Genetics Replication And Meta-analysis (DIAGRAM) Consortium. Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. *Nat Genet.* 2015; 47(12): 1415-25
- [A448] Dankowski T, Buck D, Andlauer TF, Antony G, Bayas A, Bechmann L, Berthele A, Bettecken T, Chan A, Franke A, Gold R, Graetz C, Haas J, Hecker M, Herms S, Infante-Duarte C, **Jöckel KH**, Kieseier BC, Knier B, Knop M, Kümpfel T, Lichtner P, Lieb W, Lill CM, Limmroth V, Linker RA, Loleit V, Meuth SG, Moebus S, Müller-Myhsok B, Nischwitz S, Nöthen MM, Paul F, Pütz M, Ruck T, Salmen A, Stangel M, Stellmann JP, Strauch K, Stürner KH, Tackenberg B, Then Bergh F, Tumani H, Waldenberger M, Weber F, Wiendl H, Wildemann B, Zettl UK, Ziemann U, Zipp F, Hemmer B, Ziegler A; German Competence Network for Multiple Sclerosis (KKNMS). Successful Replication of GWAS Hits for Multiple Sclerosis in 10,000 Germans Using the Exome Array. *Genet Epidemiol.* 2015; 39(8): 601-8
- [A449] Winkler A, Weimar C, **Jöckel KH**, Erbel R, Dragano N, Moebus S, Führer-Sakel D, Dlugaj M. Thyroid-Stimulating Hormone and Mild Cognitive Impairment: Results of the Heinz Nixdorf Recall Study. *J Alzheimers Dis.* 2015; 49(3): 797-807
- [A450] Eberhardt WE, Pöttgen C, Gauler TC, Friedel G, Veit S, Heinrich V, Welter S, Budach W, Spengler W, Kimmich M, Fischer B, Schmidberger H, De Ruyscher D, Belka C, Cordes S, Hepp R, Lütke-Brintrup D, Lehmann N, Schuler M, **Jöckel KH**, Stamatis G, Stuschke M. Phase III Study of Surgery Versus Definitive Concurrent Chemoradiotherapy Boost in Patients With Resectable Stage IIIA(N2) and Selected IIIB Non-Small-Cell Lung Cancer After Induction Chemotherapy and Concurrent Chemoradiotherapy (ESPA-TUE). *J Clin Oncol.* 2015; 33(35): 4194-201
- [A451] Dlugaj M, Winkler A, Weimar C, Dürig J, Broecker-Preuss M, Dragano N, Moebus S, **Jöckel KH**, Erbel R, Eisele L. Anemia and Mild Cognitive Impairment in the German General Population. *J Alzheimers Dis.* 2015; 49(4): 1031-42