

2005

- Baumgardt-Elms C, Schümann M, Ahrens W, Bromen K, **Stang A**, Jahn I, Stegmaier C, Jöckel KH. Residential exposure to overhead high-voltage lines and the risk of testicular cancer: results of a population-based case-control study in Hamburg (Germany). *Int Arch Occup Environ Health* 2005;78:20-26
- Häusler T, **Stang A**, Anastassiou A, Jöckel KH, Mrzyk S, Horsthemke B, Lohmann DR, Zeschnigk M. Loss of heterozygosity of 1p in uveal melanomas with monosomy 3. *Int J Cancer* 2005;116:909-913
- Latza U, Hoffmann W, Terschüren C, Chang-Claude J, Kreuzer M, Schaffrath Rosario A, Kropp S, **Stang A**, Ahrens W, Lampert T, Straif K. Rauchen als möglicher Confounder in epidemiologischen Studien: Standardisierung der Erhebung, Quantifizierung und Analyse. *Gesundheitswesen* 2005;67:795-802
- Morales-Suarez-Varela MM, Olsen J, Johansen P, Kaerlev L, Guenel P, Arveux P, Wingren G, Hardell L, Ahrens W, **Stang A**, Llopis A, Merletti F, Aurrekoetxea JJ, Masala G. Occupational exposures and mycosis fungoides: a European multicentre case-control study (Europe). *Cancer Causes Control* 2005;16:1253-1259
- Stang A**, Ahrens W, Baumgardt-Elms C, Bromen K, Stegmaier C, Jöckel KH. Carpenters, cabinet makers and risk of testicular germ cell cancer. *J Occup Environ Med* 2005;47:299-305
- Stang A**, Hense HW, Jöckel KH, Turner EH, Tramer MR. Is it always unethical to use a placebo in a clinical trial? *PLoS Medicine* 2005;2:0173-0176
- Stang A**, Moebus S, Dragano N, Beck EM, Möhlenkamp S, Schmermund A, Siegrist J, Erbel R, Jöckel KH. Baseline recruitment and analyses of nonresponse of the Heinz Nixdorf Recall Study: Identifiability of phone numbers as the major determinant of response. *Eur J Epidemiol* 2005;20:489-496
- Stang A**, Parkin DM, Ferlay J, Jöckel KH. International uveal melanoma incidence trends in view of a decreasing proportion of morphological verification. *Int J Cancer* 2005;114:114-123
- Stang A**, Streller B, Eisinger B, Jöckel KH. Population-based incidence rates of malignant melanoma of the vulva in Germany. *Gynecol Oncol* 2005;96:216-221

- Herpertz S, Burgmer R, **Stang A**, de Zwaan M, Wolf AM, Chen-Stute A, Hulisz T, Jöckel KH, Senf W. Prevalence of mental disorders in normal-weight and obese individuals with and without weight loss treatment in a German urban population. *J Psychosom Res* 2006;61:95-103
- Hoffmann B, Moebus S, **Stang A**, Beck EM, Dragano N, Möhlenkamp S, Schmermund A, Memmesheimer M, Mann K, Erbel R, Jöckel KH on behalf of the Heinz Nixdorf Recall Study Investigative Group. Residence close to high traffic and prevalence of coronary heart disease. *Eur Heart J* 2006;27:2696-2702
- Kröger K, **Stang A**, Kondratieva J, Moebus S, Beck E, Schmermund A, Möhlenkamp S, Dragano N, Siegrist J, Jöckel KH, Erbel R. Prevalence of peripheral arterial disease – results of the Heinz Nixdorf Recall Study. *Eur J Epidemiol* 2006;21:279-285
- Morales-Suarez-Varela MM, Olsen J, Johansen P, Kaerlev L, Guenel P, Arveux P, Wingren G, Hardell L, Ahrens W, **Stang A**, Llopis A, Merletti F, Guillen-Grima F, Masala G. Occupational sun exposure and mycosis fungoides: a European multicenter case-control study. *J Occup Environ Med* 2006;48:390-393
- Schmermund A, Möhlenkamp S, Berenbein S, Pump H, Moebus S, Roggenbuck U, **Stang A**, Seibel R, Grönemeyer D, Jöckel KH, Erbel R. Population-based assessment of subclinical coronary atherosclerosis using electron-beam computed tomography. *Atherosclerosis* 2006;185:177-182
- Stang A**, Ahrens W, Baumgardt-Elms C, Jahn I, Stegmaier C, Merzenich H, de Vrese M, Schrezenmeir J, Jöckel KH. Adolescent milk fat and galactose consumption and testicular germ cell cancer. *Cancer Epidemiol Biomarkers Prev* 2006;15:2189-2195
- Stang A**, Moebus S, Möhlenkamp S, Dragano N, Schmermund A, Beck EM, Siegrist J, Erbel R, Jöckel KH on behalf of the Heinz Nixdorf Recall Study Investigative Group. Algorithms for converting Hawksley random zero to automated oscillometric blood pressure values and vice versa. *Am J Epidemiol* 2006;164:85-94
- Stang A**, Pohlabein H, Müller KM, Jahn I, Giersiepen K, Jöckel KH. Diagnostic agreement in the histopathological evaluation of lung cancer tissue in a population-based case-control study. *Lung Cancer* 2006;52:29-36
- Stang A**, Pukkala E, Sankila R, Söderman B, Hakulinen T. A time trend analysis of the skin melanoma incidence of Finland from 1953 through 2003 including 16,414 Cases. *Int J Cancer* 2006;119:380-384
- Stang A**, Schmidt-Pokrzywniak A, Lehnert M, Parkin DM, Ferlay J, Bornfeld N, Marr A, Jöckel KH. Population-based incidence estimates of uveal melanoma in Germany. Supplementing cancer registry data by case-control data. *Eur J Cancer Prev* 2006;15:165-170
- Stang A**, Streller B, Katalinic A, Lehnert M, Eisinger B, Jöckel KH. Incidence of skin lymphoma in Germany. *Ann Epidemiol* 2006;16:214-22
- Stang A**, Valiukeviciene S, Aleknaviciene B, Kurtinaitis J. Time Trends of Incidence, Mortality, and Relative Survival of Invasive Skin Melanoma in Lithuania. *Eur J Cancer* 2006;42:660-667
- Völzke H, Neuhauser H, Moebus S, Baumert J, Berger K, **Stang A**, Ellert U, Werner A, Döring A. Urban-rural disparities in smoking behaviour in Germany. *BMC Public Health* 2006;6:146
- Völzke H, Neuhauser H, Moebus S, Baumert J, Berger K, **Stang A**, Ellert U, Werner A, Döring A. Regionale Unterschiede des Rauchverhaltens in der Erwachsenenbevölkerung Deutschlands. *Dt Ärzteblatt* 2006;103:A2784-A2790

2007

- Dragano N, Verde PE, Moebus S, **Stang A**, Schmermund A, Roggenbuck U, Möhlenkamp S, Peter R, Jöckel KH, Erbel R, Siegrist J for the Heinz Nixdorf Recall Study. Subclinical coronary atherosclerosis is more pronounced in men and women with lower socioeconomic status. Associations in a population based study. *Eur J Cardiovasc Prev Rehabil* 2007;14:568-574
- Dragano N, Bobak M, Wege N, Peasey A, Verde PE, Kubinova R, Weyers S, Moebus S, Möhlenkamp S, **Stang A**, Erbel R, Jöckel KH, Siegrist J, Pikhart H. Neighbourhood socioeconomic status and cardiovascular risk factors: a multilevel analysis of nine cities in the Czech Republic and Germany. *BMC Public Health* 2007;7:255
- Hoffmann B, Moebus S, Möhlenkamp S, **Stang A**, Lehmann N, Dragano N, Schmermund A, Memmesheimer M, Mann K, Erbel R, Jöckel KH on behalf of the Heinz Nixdorf Recall Study Investigative Group. Residential exposure to traffic is associated with coronary atherosclerosis. *Circulation* 2007;116:489-496
- Kluttig A, Trocchi P, Heinig A, Holzhausen HJ, Taege C, Hauptmann S, Boecker W, Decker T, Loening T, Schmidt-Pokrzywniak A, Thomssen C, **Stang A**. Reliability and validity of needle biopsy evaluation of breast-abnormalities using the B-categorization - design and objectives of the Diagnosis Optimisation Study (DIOS). *BMC Cancer* 2007;7:100
- Ladd SC, Debatin JF, **Stang A**, Bromen K, Moebus S, Nuefer M, Gizewski E, Wanke I, Doerfler A, Ladd ME, Benemann J, Erbel R, Forsting M, Schmermund A, Jöckel KH. Whole-body MR vascular screening detects unsuspected concomitant vascular disease in coronary heart disease patients. *Eur Rad* 2007;17:1035-1045
- Moebus S, **Stang A**. Das metabolische Syndrom - ein umstrittenes diagnostisches Konzept. *Herz* 2007;32:529-540
- Möhlenkamp S, Moebus S, Schmermund A, Lehmann N, Hoffmann B, Neumann T, **Stang A**, Dragano N, Kerkhoff G, Naber C, Kälsch H, Beck EM, Bröcker-Preuss M, Kröger K, Budde T, Siegrist J, Mann K, Jöckel KH, Erbel R. Assessment of the natural history of coronary artery calcification and identification of its determinants. Rationale of the 2nd part of the Heinz Nixdorf Recall Study. *Herz* 2007;32:108-120
- Pannier F, Hoffmann B, **Stang A**, Jöckel KH, Rabe E. Prevalence and acceptance of therapy with medical compression stockings. *Phlebologie* 2007;36:245-249
- Pannier F, Hoffmann B, **Stang A**, Jöckel KH, Rabe E. Prevalence of Stemmer's sign in the general population. *Phlebologie* 2007;36:289-292
- Schmermund A, Lehmann N, Bielak LF, Yu P, Sheedy PF 2nd, Cassidy-Bushrow AE, Turner ST, Moebus S, Möhlenkamp S, **Stang A**, Mann K, Jöckel KH, Erbel R, Peyser PA. Comparison of subclinical coronary atherosclerosis and risk factors in unselected populations in Germany and US-America. *Atherosclerosis* 2007;195:207-216
- Stang A**. Genital and nongenital nonmelanoma skin cancer: more epidemiological studies needed. *J Invest Dermatol* 2007; 127:2296-2299
- Stang A**, Dragano N, Poole C, Moebus S, Möhlenkamp S, Schmermund A, Siegrist J, Erbel R, Jöckel KH. Daily siesta, cardiovascular risk factors and measures of subclinical atherosclerosis. Results of the Heinz Nixdorf Recall Study. *Sleep* 2007; 30:1111-1119
- Stang A**, Stabenow R, Stegmaier C, Eisinger B, Bischof-Hammes E, Jöckel KH. Unexplained inversion of the incidence ratio of colon and rectal cancer among men in East Germany. A time trend analysis including 147 790 cases. *Eur J Epidemiol* 2007;22:245-255
- Stang A**, Ziegler S, Büchner U, Ziegler B, Jöckel KH, Ziegler V. Malignant melanoma and

non-melanoma skin cancers in Northrhine-Westphalia, Germany: A patient versus diagnosis-based incidence approach. *Int J Dermatol* 2007;46:564-570

Valiukeviciene S, Gollnick H, **Stang A**. Body-site distribution of common acquired melanocytic nevi associated with severe sunburns among children in Lithuania. *Int J Dermatol* 2007;46:1242-1249

Völzke H, Neuhäuser M, Moebus S, Baumert J, Berger K, **Stang A**, Ellert U, Wener A, Döring A. Stadt-Land Unterschiede im Rauchverhalten. *Public Health Forum* 2007;15:6-7

## 2008

Erbel R, Möhlenkamp S, Lehmann N, Schmermund A, Moebus S, **Stang A**, Dragano N, Hoffmann B, Grönemeyer D, Seibel R, Mann K, Kröger K, Bröcker-Preuss M, Volbracht L, Siegrist J, Jöckel KH. Kardiovaskuläre Risikofaktoren und Zeichen subklinischer Atherosklerose. *Dt Aerzteblatt* 2008;105:1-8

Erbel R, Möhlenkamp S, Lehmann N, Schmermund A, Moebus S, **Stang A**, Grönemeyer D, Seibel R, Mann K, Volbracht L, Dragano N, Siegrist J, Jöckel KH. Sex related cardiovascular risk stratification based on quantification of atherosclerosis and inflammation. *Atherosclerosis* 2008;197:662-672

Erbel R, Delaney JA, Lehmann N, McClelland RL, Möhlenkamp S, Kronmal RA, Schmermund A, Moebus S, Dragano N, **Stang A**, Jöckel KH, Budoff MJ; on behalf of the Multi-Ethnic Study of Atherosclerosis and the Investigator Group of the Heinz Nixdorf Recall Study. Signs of subclinical coronary atherosclerosis in relation to risk factor distribution in the Multi-Ethnic Study of Atherosclerosis (MESA) and the Heinz Nixdorf Recall Study (HNR). *Eur Heart J* 2008;29:2782-2791

Hirsch C, John MT, **Stang A**. Association between generalized joint hypermobility and signs and diagnoses of temporomandibular disorders. *European Journal of Oral Sciences* 2008;116:1-6

Möhlenkamp S, Schmermund A, Lehmann N, Roggenbuck U, Dragano N, **Stang A**, Moebus S, Beck EM, Schluter C, Sack S, Meinertz T, Taylor A, Jöckel KH, Erbel R; for the Heinz Nixdorf Recall Study Investigators. Subclinical coronary atherosclerosis and resting ECG abnormalities in an unselected general population. *Atherosclerosis* 2008;196:786-794

**Stang A**. Rückgang der postmenopausalen Hormonverordnungen und der Brustkrebsinzidenz - ein epidemiologischer Diskurs. *Dt Aerzteblatt* 2008;105:303-309

**Stang A**. Appropriate epidemiologic methods as a prerequisite for valid study results. *Eur J Epidemiol* 2008;23:761-765

**Stang A**, Kluttig A. Etiologic insights from surface-adjustment of colorectal carcinoma incidences. An analysis of the U.S. SEER data 2000-2004. *Am J Gastroenterol* 2008;103:1-9

**Stang A**, Stausberg J, Bödeker W, Kerek-Bodden H, Jöckel KH. Nationwide hospitalization costs of skin melanoma and nonmelanoma skin cancer in Germany. *J Eur Acad Dermatol Venerol* 2008;22:65-72

Wege N, Dragano N, Moebus S, Stang A, Erbel R, Jöckel KH, Siegrist J. When does work stress hurt? Testing the interaction with socioeconomic status in the Heinz Nixdorf Recall Study. *J Epidemiol Community Health* 2008;62:338-343

Weyers S, Dragano N, Moebus S, Beck EM, **Stang A**, Möhlenkamp S, Jöckel KH, Erbel R, Siegrist J. Low socio-economic position is associated with poor social networks and social support: results from the Heinz Nixdorf Recall Study. *Int J Equity Health* 2008;7:13

- Bauer M, Möhlenkamp S, Lehmann N, Schmermund A, Roggenbuck U, Moebus S, **Stang A**, Mann K, Jöckel KH and Erbel R, on behalf of the Heinz Nixdorf Recall Study Investigative Group. The Effect of age and risk factors on coronary and carotid artery atherosclerotic burden in males - Results of the Heinz Nixdorf Recall Study -. *Atherosclerosis* 2009;205:595-602
- Dragano N, Hoffmann B, Moebus S, Möhlenkamp S, **Stang A**, Jöckel KH, Erbel R, Siegrist J. Traffic exposure and subclinical cardiovascular disease: is the association modified by socioeconomic characteristics of individuals and neighbourhoods? *Occ Environ Med* 2009;66:628-635
- Dragano N, Hoffmann B, **Stang A**, Moebus S, Verde PE, Weyers S, Möhlenkamp S, Schmermund A, Mann K, Jöckel KH, Erbel R, Siegrist J. Subclinical coronary atherosclerosis and neighbourhood deprivation in an urban region. *Eur J Epidemiol* 2009;24:25-35
- Hoffmann B, Moebus S, Dragano N, **Stang A**, Möhlenkamp S, Schmermund A, Memmesheimer M, Bröcker-Preuss M, Mann K, Erbel R, Jöckel KH on behalf of the Heinz Nixdorf Recall Study Investigative Group. Chronic residential exposure to particulate matter air pollution and systemic inflammatory markers. *Environ Health Perspect* 2009;117:1302-1308
- Hoffmann B, Moebus S, Kröger K, **Stang A**, Möhlenkamp S, Dragano N, Schmermund A, Memmesheimer M, Erbel R, Jöckel KH. Residential exposure to urban air pollution, ankle-brachial index, and peripheral arterial disease. *Epidemiology* 2009;20:280-288
- Jöckel KH, Lehmann N, Jaeger BR, Moebus S, Möhlenkamp S, Schmermund A, Dragano N, **Stang A**, Grönemeyer D, Seibel R, Mann K, Volbracht L, Siegrist J, Erbel R. Smoking cessation and subclinical atherosclerosis - Results from the Heinz Nixdorf Recall Study. *Atherosclerosis* 2009;203:221-227
- Klug SJ, Hense HW, Giersiepen K, Jöckel KH, Schmidt-Pokrzywniak A, **Stang A**, Zeeb H. Stellungnahme der DGepi, DGSMMP und DBEbM. HPV-Infektion: Notwendigkeit der Begleitforschung und Evaluation. *Public Health Forum* 2009;17:29.e1-29.e3
- Kröger K, Dragano N, **Stang A**, Moebus S, Möhlenkamp S, Mann K, Siegrist J, Jöckel KH, Erbel R. An unequal social distribution of peripheral arterial disease and the possible explanations: results from a population-based study. *Vasc Med* 2009;14:289-296
- Moebus S, **Stang A**, Möhlenkamp S, Dragano N, Schmermund A, Slomiany U, Hoffmann B, Bauer M, Bröcker M, Mann K, Siegrist J, Erbel R, Jöckel KH. Association of impaired glucose and coronary artery calcification in a population-based cohort - Results of the Heinz Nixdorf Recall Study. *Diabetologica* 2009;52:81-89
- Möhlenkamp S, Lehmann N, Schmermund A, Roggenbuck U, Moebus S, Dragano N, Bauer M, Kälsch H, Hoffmann B, **Stang A**, Bröcker-Preuss M, Böhm M, Mann K, Jöckel KH, Erbel R. Association of exercise capacity and the heart rate profile during exercise stress testing with subclinical coronary atherosclerosis: data from the Heinz Nixdorf Recall Study. *Clin Res Cardiol* 2009; 98:665-676
- Schmidt-Pokrzywniak A, Jöckel KH, Bornfeld N, Sauerwein W, **Stang A**. Positive interaction between light iris color and ultraviolet radiation in relation to the risk of uveal melanoma: case-control study. *Ophthalmology* 2009;116:340-348
- Stang A**. Etiology of testicular germ cell tumors: lumping or splitting? A plea against lumping. (commentary) *Eur J Epidemiol* 2009;24:65-67
- Stang A**, Lampert T, Uhlemann T, Trocchi P. Skin cancer mortality in Germany before and after the post-communist transition. *Int J Dermatol* 2009;48:363-370
- Stang A**, Rusner C, Eisinger B, Stegmaier C, Kaatsch P. Subtype-specific incidence of testicular cancer in Germany. A pooled analysis of nine population-based cancer registries. *Int J*

*Androl* 2007;30:1-11

**Stang A**, Schmidt-Pokrzywniak A, Lash TL, Lommatzsch PK, Taubert G, Bornfeld N, Jöckel KH. Mobile phone use and risk of uveal melanoma: results of the RIFA case-control study. *J Natl Cancer Inst* 2009;101:120-123

**Stang A**, Schmutzler RK. The epidemiology and aetiology of female breast cancer. (Editorial). *Breast Care* 2009;4:73-74

**Stang A**, Stausberg J. Inpatient management of patients with skin cancer in Germany: an analysis of the nationwide DRG-statistic 2005-2006. *Br J Dermatol* 2009;161 suppl 3:99-106

## 2010

Erbel R, Möhlenkamp S, Moebus S, Schmermund A, Lehmann N, **Stang A**, Dragano N, Grönemeyer D, Seibel R, Kälsch H, Bröcker-Preuss M, Mann K, Siegrist J, Jöckel KH. Coronary risk stratification, discrimination, and reclassification improvement based on quantification of subclinical coronary atherosclerosis. *J Am Coll Cardiol* 2010;99:175-182

Kälsch H, Lehmann N, Möhlenkamp S, Neumann T, Slomiany U, Schmermund A, **Stang A**, Moebus S, Bauer M, Mann K, Jöckel KH, Erbel R. Association of coronary artery calcium and congestive heart failure in the general population. Results of the Heinz Nixdorf Recall Study. *Clin Res Cardiol* 2010;99:175-182

Knüppel S, **Stang A**. DAG program: identifying minimal sufficient adjustment sets. *Epidemiology* 2010;21:159 (research letter)

Meyer-Lückel H, Grundmann E, **Stang A**. Effects of fluoride tablets on caries and fluorosis occurrence among 6- to 9-year-olds using fluoridated salt. *Community Dentistry and Oral Epidemiology* 2010;38:315-323

Schmidt-Pokrzywniak A, **Stang A**. Study of return rate and return time of undeliverable postal letters. *Eur J Epidemiol* 2010;10:25:467-470

Schmidt-Pokrzywniak A, Jöckel KH, Marr A, Bornfeld N, **Stang A**. A case-control study: occupational cooking and risk of uveal melanoma. *BMC Ophthalmology* 2010;10:26

Schwalbe O, Scheerans C, Freiberg I, Schmidt-Pokrzywniak A, **Stang A**, Kloft C. Compliance assessment of ambulatory Alzheimer patients to aid therapeutic decisions by healthcare professionals. *BMC Health Services Research* 2010;55:17-23

**Stang A**. Gesundheitlich unbedenklich: Fakt oder Fiktion? [Harmless. Fact or Fiction?]. *Gesundheitswesen* 2010;72:496-501

**Stang A**. Critical evaluation of the Newcastle-Ottawa scale for the assessment of the quality of nonrandomized studies in meta-analyses. *Eur J Epidemiol* 2010;25:603-605

**Stang A**, Katalinic A, Dieckmann KP, Pritzkeleit R, Stabenow R on behalf of the Network of Cancer Registries in Germany (GEKID). A novel approach to estimate German-wide incidences of testicular cancer. *Cancer Epidemiology* 2010;34:13-19

**Stang A**, Poole C, Bender R. Common problems related to the use of number needed to treat. *J Clin Epidemiol* 2010;63:820-825

**Stang A**, Poole C, Kuß O. The ongoing tyranny of statistical significance testing in biomedical research. *Eur J Epidemiol* 2010;25:225-230

Weyers S, Dragano N, Möbus S, Beck EM, **Stang A**, Möhlenkamp S, Jöckel KH, Erbel R, Siegrist J. Poor social relations and adverse health behaviour: stronger associations in low socioeconomic groups? *Int J Public Health* 2010;55:17-23

2011

Castell S, Diel R, Loddenkemper R, Glaser-Paschke G, **Stang A**. [Are alcohol and drug addiction risk factors for default from tuberculosis treatment? - preliminary work for a case-control study including tuberculosis patients from Berlin and Hamburg, 2001-2009]. *Gesundheitswesen* 2011;73:909-11

Kälsch H, Lehmann N, Möhlenkamp S, Becker A, Moebus S, Schmermund A, **Stang A**, Mahabadi AA, Mann K, Jöckel KH, Erbel R, Eggebrecht H. Body-surface adjusted aortic reference diameters for improved identification of patients with thoracic aortic aneurysms: Results from the population-based Heinz Nixdorf Recall study. *Int J Cardiol* 2011;36:21-36

Möhlenkamp S, Lehmann N, Greenland P, Moebus S, Kälsch H, Schmermund A, Dragano N, **Stang A**, Siegrist J, Mann K, Jöckel KH, Erbel R: (2011) Coronary artery calcium score improves cardiovascular risk prediction in persons without indication for statin therapy. *Atherosclerosis* 2011;215:229-36

Möhlenkamp S, Lehmann N, Moebus S, Schmermund A, Dragano N, **Stang A**, Siegrist J, Mann K, Jöckel KH, Erbel R. Quantification of coronary atherosclerosis and inflammation to predict coronary events and all-cause mortality. *J Am Coll Cardiol* 2011;57:1455-1464

Schopf S, Robin H, Friedrich N, Nauck M, Lau K, Alte D, **Stang A**, Völzke H, Wallaschofski H. Low total testosterone is associated with increased risk of incident type 2 diabetes mellitus in men: results from the Study of Health in Pomerania (SHIP). *Aging Male* 2011;14:168-175

Sehrndt A, **Stang A**, Lehmkuhl E, Regitz-Zagrosek V, Babitsch B. [Investigation of the influence of the socioeconomic status on the health-related quality of life in patients before and after coronary artery bypass grafting - an example of the use of causal diagrams (DAGs)]. *Gesundheitswesen* 2011;73:903-905

**Stang A**. Randomized controlled trials-an indispensable part of clinical research. *Dtsch Arztebl* 2011;108: 661-662

**Stang A**, Augustin M. [Cancer screening programs: Methodology and initial experience with the skin cancer screening]. *Onkologie* 2011;34 Suppl 2: 2-4

**Stang A**, Döring A, Völzke H, Moebus S, Greiser KH, Werdan K, Berger K, Ellert U, Neuhauser H. Regional differences in body fat distributions among people with comparable body mass index: a comparison across six German population-based surveys. *Eur J Cardiovasc Prev R* 2011;18:106-114

**Stang A**, Kuß O. Etiologic differences between seminoma and nonseminoma of the testis: a systematic review of epidemiologic studies. *Hematol Oncol Clin N* 2011;25:473-86

**Stang A**, Merrill RM, Kuß O. Hysterectomy in Germany: a DRG-based nationwide analysis, 2005-2006. *Dtsch Arztebl Int* 2011;108: 508-14

**Stang A**, Merrill RM, Kuß O. Nationwide rates of conversion from laparoscopic or vaginal hysterectomy to open abdominal hysterectomy in Germany. *Eur J Epidemiol* 2011;26:125-33

**Stang A**, Trocchi P, Ruschke K, Schmidt-Pokrzywniak A, Holzhausen HJ, Löning T, Buchmann J, Thomssen C, Lantzsch T, Hauptmann S, Böcker W, Kluttig A. Factors influencing the agreement on histopathological assessments of breast biopsies among pathologists. *Histopathology* 2011;59:939-949

**Stang A**, Weichenthal M. Micrographic surgery of skin cancer in German hospitals 2005-2006. *J Eur Acad Dermatol Venerol* 2011;25:422-8

Trabert B, **Stang A**, Cook MB, Rusner C, McGlynn KA. Impact of classification of mixed germ-cell tumours on incidence trends of non-seminoma. *Int J Androl* 2011;34:274-277

2012

Behrens T, Lynge E, Cree I, Lutz JM, Eriksson M, Guénel P, Merletti F, Morales-Suarez-Varela M, Afonso N, Stengrevics A, Févotte J, Sabroe S, Llopis-González A, Gorini G, Hardell L, **Stang A**, Ahrens W. Pesticide exposure in farming and forestry and the risk of uveal melanoma. *Cancer Causes Control* 2012;23:141-51

Behrens T, Lynge E, Cree I, Lutz JM, Eriksson M, Guénel P, Merletti F, Morales-Suarez-Varela M, Afonso N, Stengrevics A, **Stang A**, Févotte J, Sabroe S, Llopis-González A, Gorini G, Hardell L, Ahrens W. Occupational exposure to endocrine-disrupting chemicals and the risk of uveal melanoma. *Scand J Work Env Health* 2012;38: 476-83

Erbel R, Lehmann N, Möhlenkamp S, Churzidse S, Bauer M, Kälsch H, Schmermund A, Moebus S, **Stang A**, Roggenbuck U, Bröcker-Preuss M, Dragano N, Weimar C, Siegrist J, Jöckel KH, Heinz Nixdorf Recall Study Investigators. Subclinical coronary atherosclerosis predicts cardiovascular risk in different stages of hypertension: result of the Heinz Nixdorf Recall Study. *Hypertension* 2012;59:44-53

Kuß O, **Stang A**. The p-value - a well-understood and properly used statistical concept? *Contact Dermatitis* 2012;66:1-3

Riedel N, Fuks K, Hoffmann B, Weyers S, Siegrist J, Erbel R, Viehmann A, **Stang A**, Scheiner J, Dragano N, Recall Study Group. Insomnia and urban neighbourhood contexts -- are associations modified by individual social characteristics and change of residence? Results from a population-based study using residential histories. *BMC Public Health* 2012;12:810

Rusner C, Bandemer-Greulich U, Engel J, Stegmaier C, Zawinell A, Holleczeck B, Katalinic A, Kuß O, Schmidt-Pokrzywniak A, Schubert-Fritschle G, Tillack A, **Stang A**. Population-based hormone receptor-specific incidence trends of breast cancer in Germany. *Maturitas* 2012;73:152-157

**Stang A**, Martinsen JI, Kjaerheim K, Weiderpass E, Sparén P, Tryggvadóttir L, Pukkala E. Cancer incidence among priests: 45 years of follow-up in four Nordic countries. *Eur J Epidemiol* 2012;27: 101-108

**Stang A**, Merrill RM, Kuß O. Prevalence-corrected hysterectomy rates by age and indication in Germany 2005-2006. *Arch Gynecol Obstet* 2012;286:1193-200

**Stang A**, Trabert B, Wentzensen N, Cook MB, Rusner C, Oosterhuis JW, McGlynn KA. Gonadal and extragonadal germ cell tumours in the United States, 1973-2007. *Int J Androl* 2012;35:616-625

**Stang A**, Dragano N, Moebus S, Möhlenkamp S, Schmermund A, Kälsch H, Erbel R, Jöckel KH. Midday naps and the risk of coronary artery disease. Results of the Heinz Nixdorf Recall Study. *Sleep* 2012; 35:1705-1712

Trocchi P, Kluttig A, Dralle H, Sekulla C, Biermann M, **Stang A**. Thyroid cancer surgery in Germany: an analysis of the nationwide DRG statistics 2005-2006. *Langenbeck Arch Surg* 2012;397:421-428

Trocchi P, Ursin G, Kuss O, Ruschke K, Schmidt-Pokrzywniak A, Holzhausen HJ, Löning T, Thomssen C, Böcker W, Kluttig A, **Stang A**. Mammographic density and inter-observer variability of pathologic evaluation of core biopsies among women with mammographic abnormalities. *BMC Cancer* 2012;12:554

2013

- Erbel R, Lehmann N, Churzidse S, Möhlenkamp S, Moebus S, Mahabadi AA, Schmermund A, **Stang A**, Dragano N, Grönemeyer D, Seibel R, Kälsch H, Bauer M, Bröcker-Preuss M, Mann K, Jöckel KH. Gender-specific association of coronary artery calcium and lipoprotein parameters: the Heinz Nixdorf Recall Study. *Atherosclerosis* 2013;229:531-540
- Jöckel KH, **Stang A**. Cohort studies with low baseline response may not be generalisable to populations with different exposure distributions. *Eur J Epidemiol* 2013;28:223-227
- Kälsch H, Lehmann N, Möhlenkamp S, Becker A, Moebus S, Schmermund A, **Stang A**, Mahabadi AA, Mann K, Jöckel KH, Erbel R, Eggebrecht H. Body-surface adjusted aortic reference diameters for improved identification of patients with thoracic aortic aneurysms: results from the population-based Heinz Nixdorf Recall study. *Int J Cardiol* 2013;163:72-78
- Kälsch H, Lehmann N, Möhlenkamp S, Hammer C, Mahabadi AA, Moebus S, Schmermund A, **Stang A**, Bauer M, Mann K, Jöckel KH, Erbel R. Prevalence of thoracic aortic calcification and its relationship to cardiovascular risk factors and coronary calcification in an unselected population-based cohort - The Heinz Nixdorf Recall Study. *Int J Cardiovasc Imaging* 2013;29:207-16
- Kröger K, Lehmann N, Moebus S, Schmermund A, **Stang A**, Kälsch H, Bauer M, Jöckel KH, Erbel R, Möhlenkamp S. Impact of atherosclerotic risk factors on different ankle-brachial-index criteria – results of the Heinz Nixdorf Recall Study. *Vasa* 2013;42:120-126
- Morales-Suarez-Varela MM, Olsen J, Villeneuve S, Johansen P, Kaerlev L, Llopis-Gonzales A, Wingren G, Hardell L, Ahrens W, **Stang A**, Merletti F, Gorini G, Aurrekoetxea JJ, Fevotte J, Cyr D, Guenel P. Occupational exposure to chlorinated and petroleum solvents and mycosis fungoides. *J Occup Environ Med* 2013;55:924-931
- Rusner C, **Stang A**, Dieckmann KP, Friedel H. Frequency of computed tomography examinations in the aftercare of testicular cancer patients - An evaluation of patterns of care in Germany. *Onkologie* 2013;36:188-92
- Rusner C, Trabert B, Katalinic A, Kieschke J, Emrich K, **Stang A**. Incidence patterns and trends of malignant gonadal and extragonadal germ cell tumors in Germany, 1998-2008. *Cancer Epidemiol* 2013;37:370-373
- Sass AC, **Stang A**. Population-based incidences of non-fatal injuries – results of the German-wide telephone survey 2004. *BMC Public Health* 2013;13:376
- Schmeisser N, Conway DI, **Stang A**, Jahn I, Stegmaier C, Baumgardt-Elms C, Jöckel KH, Behrens T, Ahrens W. A population-based case-control study on social factors and risk of testicular germ cell tumors. *BMJ Open* 2013;3:e003833
- Schmidt-Pokrywniak A, **Stang A**. Comparison of apples with their parts: rethinking a metaanalysis on the association between cooking and uveal melanoma risk. *Asian Pac J Cancer Prev* 2013;14:2685-2686 (letter)
- Stang A**. Impact of hysterectomy on the age-specific incidence of cervical and uterine cancer in Germany and other countries. *Eur J Publ Health* 2013;23:879-83
- Stang A**. Reconciling theory and practice regarding p-values. *Epidemiology* 2013;24:781 (letter)
- Stang A**, Kantelhardt E. Too many statistical errors for meaningful interpretation. *Breast Cancer Res Treat* 2013;138:643-644 (letter)
- Stang A**, Kääh-Sanyal V, Hense HW, Becker N, Kuss O. Effect of mammography screening on surgical treatment for breast cancer: a nationwide analysis of hospitalization rates in Germany

2005-2009. *Eur J Epidemiol* 2013;28:689-696

**Stang A**, Poole C. the researcher and the consultant: a dialogue on null hypothesis significance testing. *Eur J Epidemiol* 2013;28:939-944

**Stang A**, Rusner C, Stabenow R. Changing epidemiologic features of testicular germ cell cancer in Germany: corroboration at population level. *Urol Oncol* 2013;31:1839-1840

Trocchi P, Holzhausen HJ, Böcker W, Schmidt-Pokrzywniak A, Ruschke K, Thomssen C, Löning T, Kluttig A, **Stang A**. Influence of immunohistochemistry on the final diagnosis of breast biopsies. *Histopathology* 2013;63:817-825

Wahl S, Möhlenkamp S, Erbel R, Moebus S, Andrich S, **Stang A**, Jöckel KH, Dragano N. Screening results for subclinical coronary artery calcification in asymptomatic individuals in relation to a detailed parental history of premature coronary heart disease. *Eur J Epidemiol* 2013;28:301-10

Weinreich G, Wessendorf TE, Erdmann T, Moebus S, Dragano N, Lehmann N, **Stang A**, Roggenbuck U, Bauer M, Jöckel KH, Erbel R, Teschler H, Möhlenkamp S. Association of obstructive sleep apnea with subclinical coronary atherosclerosis. *Atherosclerosis* 2013;231:191-197

Zinkhan M, **Stang A**, Jöckel KH, Marr A, Bornfeld N, Schmidt-Pokrzywniak A. Having children, social characteristics, smoking and the risk of uveal melanoma: a case-control study. *Ophthalmic Epidemiol* 2013;20:360-8